

ULTRADURABLE PLYWOOD FOR OUTDOOR USE



15-year guarantee against delamination and attacks from fungi and xylophages

+info www.duraply.one

Resistance that challenges nature





Innovative treatment for the entire panel.



Exceptional

qualities Lightweight, stable and easy to machine.



Sustainability Certified European fast-growing plantations.



Laminate Available with HPL/CPL finish.





Member of:



CE

Certifications on demand:



CARB Phase 2 / TSCA Title VI



ULTRADURABLE PLYWOOD FOR OUTDOOR USE

Ultradurable plywood for outdoor use, modified through an innovative treatment that that provide the panel with exceptional durability, even after sanding or machining.

Immune to attacks from fungi and xylophages, even outdoors, and without delamination, with a 15-year guarantee. (+ info duraply.one)

Available with a decorative 💵 / 🖭 laminate finish of exceptional beauty, very resistant to impact and scratching.

Duraply panels are made of premium single piece core veneers from European sustainable poplar plantations that provide extraordinary lightweight panels making them easy to machine, virtually void-free with no telegraphing, with exceptional bond quality, flatness, stability and machining properties.


Applications: Ideal for outdoor construction projects such as facades, roof supports, cornices and doors. Perfect for outdoor elements, such as sheds, outdoor furniture, sign panels, do-it-yourself projects and equipment for vessels.

Glue Type: Exterior Face Grade: BB/BB

Formats		Thickr	ness (")	
Dimensions (")		1/2	3/4	
48.5 x 96.5	No. of plies	7	9	
60.5 x 120.5	Packaging	77	52	

Technical features

			· · ·
	Values	Standard	
Density (Lb/ft³)	27.47-31.21	EN 323	
MOE - Modulus of elasticity (N/mm²)	3400-5500	EN 310	
Face Screw Holding (kgf)	135	EN 320	
Moisture content (%)	6-14	EN 322	



The figures included in this technical data file are for information purposes only and have no contractual value. The formats, dimensions, thickness, plies and technical characteristics may vary with no prior notification based on new developments and technological advancements. The buyer is responsible for deciding whether the Garnica product is suitable for the desired application, and will be required to ensure that the location and way in which it is used are suitable according to the manufacturer's instructions and suggestions, as well as its compliance with current regulations. Edges must be carefully sealed in order to ensure proper seal of the panels when used for exterior applications.

Construction



Outdoor furniture



Marine



- info@garnica.one
- @garnicaplywood

- @garnicaplywood
- in Garnica Plywood
- Garnica
- @garnicaplywood

www.garnica.one garnica