

CERTIFICATE OF PRODUCT

36/HWPW/670/TPC-15

In compliance with the provisions of the US EPA 40 CFR Part 770 Toxic Substances Control Act (TSCA) Title VI - § 770.7 (c)(4)(i), Formaldehyde Emission Standards for Composite Wood Products, AIDIMME states that:

GARNICA PLYWOOD, VALENCIA DE DON JUAN, S.L.

Ctra. Valencia de Don Juan a Villafer, Km 2
24200 Valencia de Don Juan, León
Spain

For the Category of Composite Wood Product:

Hardwood Plywood HWPW-VC

For the product name:

Efficiency, Performance, Elegance, Tradition and Reinforced Plywood.

Poplar, Eucalytus, Ilomba, Okume and Pine with decorative veneer faces,
manufactured with resin code L and in the thickness range 3,5 mm up to 49 mm

Has been complying with the formaldehyde emission standard as stated in § 770.10, with the Quality Assurance and with the Quality Control test results requirements specified in Subpart C of TSCA Title VI.

Formaldehyde Emission Standard 0,05 ppm

This certification is valid as long as the company passes the quarterly supervision carried out by AIDIMME, and with a maximum validity of 1 year from the date of issue.

Date of issue: 25th May 2022




Dra. Rosa M^a Pérez Campos
Head of Certification Department

Note: the certificate status can be checked at www.aidimme.es/ServiciosOnline/CARB-EPA/



CERTIFICATE OF PRODUCT
39/HWPW/668/TPC-15

In compliance with the provisions of the US EPA 40 CFR Part 770 Toxic Substances Control Act (TSCA) Title VI - § 770.7 (c)(4)(i), Formaldehyde Emission Standards for Composite Wood Products, AIDIMME states that:

GARNICA PLYWOOD, FUENMAYOR S.L.U.

Ctra. Navarrete, 20
26360 Fuenmayor, La Rioja
Spain

For the Category of Composite Wood Product:

Hardwood Plywood HWPW-VC

For the product name:


Efficiency, Performance, Elegance, Tradition and Reinforced Plywood.
Poplar, Eucalytus, Ilomba, Okume and Pine with decorative veneer faces,
manufactured with resin code L and in the thickness range 6,4 mm up to 47 mm

Has been complying with the formaldehyde emission standard as stated in § 770.10, with the Quality Assurance and with the Quality Control test results requirements specified in Subpart C of TSCA Title VI.

Formaldehyde Emission Standard 0,05 ppm

This certification is valid as long as the company passes the quarterly supervision carried out by AIDIMME, and with a maximum validity of 1 year from the date of issue.

Date of issue: 23rd May 2022




Dra. Rosa M^a Pérez Campos
Head of Certification Department

Note: the certificate status can be checked at www.aidimme.es/ServiciosOnline/CARB-EPA/



CERTIFICATE OF PRODUCT

37/HWPW/638/TPC-15

In compliance with the provisions of the US EPA 40 CFR Part 770 Toxic Substances Control Act (TSCA) Title VI - § 770.7 (c)(4)(i), Formaldehyde Emission Standards for Composite Wood Products, AIDIMME states that:

GARNICA PLYWOOD, BAÑOS DE RÍO TOBÍA S.A.U.

Ctra. de Lerma, km 56
26320 Baños de Río Tobía, La Rioja
Spain

For the Category of Composite Wood Product:

Hardwood Plywood HWPW-VC

For the product name:

Efficiency, Performance, Elegance, Tradition and Reinforced Plywood.
Poplar, Eucalytus, Ilomba, Okume and Pine with decorative veneer faces,
manufactured with resin code L and in the thickness range 3,5 mm up to 49 mm

Has been complying with the formaldehyde emission standard as stated in § 770.10, with the Quality Assurance and with the Quality Control test results requirements specified in Subpart C of TSCA Title VI.

Formaldehyde Emission Standard 0,05 ppm

This certification is valid as long as the company passes the quarterly supervision carried out by AIDIMME, and with a maximum validity of 1 year from the date of issue. This certificate supersedes certificate 37/HWPW/614/TPC-15.

Date of issue: 28th February 2022




Dra. Rosa Mª Pérez Campos
Head of Certification Department

Note: the certificate status can be checked at www.aidimme.es/ServiciosOnline/CARB-EPA/

